

# CELL GROWN WILD FLOWERS, MARGINALS & REEDS

## Availability

The following varieties which are listed will give you a selection of Nature Plant Varieties which are available throughout the season. Some wild flower species have erratic germination, causing these species to be ready at different times.

If there are varieties which you are inquiring about, and not listed, please do not hesitate to contact me.

## Contract Growing

Should you require a variety or varieties to be grown 'Under Contract', we would be only too pleased to discuss this with you.

### Flower Colour Key

|                   |                        |
|-------------------|------------------------|
| <b>B – Blue</b>   | <b>P – Pink</b>        |
| <b>Br – Brown</b> | <b>PM – Pale Mauve</b> |
| <b>Cr – Cream</b> | <b>Pu – Purple</b>     |
| <b>G – Green</b>  | <b>R – Red</b>         |
| <b>M – Maroon</b> | <b>W – White</b>       |
| <b>Ma – Mauve</b> | <b>Y – Yellow</b>      |
| <b>O – Orange</b> |                        |

### Natural Habitat Key

|                               |                            |
|-------------------------------|----------------------------|
| <b>BG – Bare Ground</b>       | <b>N – Naturalised</b>     |
| <b>C – Cliffs</b>             | <b>OW – Open Woodland</b>  |
| <b>CG – Coastal Grassland</b> | <b>Sh – Shingle</b>        |
| <b>Du – Dunes</b>             | <b>SM – Salt Marsh</b>     |
| <b>F – Fields</b>             | <b>SP – Shady Places</b>   |
| <b>G – Grassland</b>          | <b>W – Woodland</b>        |
| <b>H – Hedgebanks</b>         | <b>WE – Woodland Edges</b> |
| <b>He – Heath</b>             | <b>WP – Wet Places</b>     |

## Price and Availability on Request

PLEASE INQUIRE FOR FULL COMPREHENSIVE LIST OF MARGINALS & REEDS

## CELL & POT GROWN WILD FLOWERS

| <u>Flowering Time</u> | <u>Height in cms</u> | <u>English Name</u>  | <u>Botanical Name</u>                | <u>Habit</u> | <u>Flower Colour</u> | <u>Natural Habitat</u> |
|-----------------------|----------------------|----------------------|--------------------------------------|--------------|----------------------|------------------------|
| Apr-Jun               | 80                   | Alkanet              | <i>Pentaglottis sempervirens</i>     | Perennial    | <b>B</b>             | N                      |
| Jul-Oct               | 50                   | Autumn hawkbit       | <i>Leontodon autumnalis</i>          | –            | <b>Y</b>             | N/H                    |
| Jun-Aug               | 20-60                | Avens, wood          | <i>Geum urbanum</i>                  | –            | <b>Y/W/P</b>         | W/H                    |
| Jul-Sep               | 50                   | Betony               | <i>Betonica officinalis</i>          | –            | <b>R</b>             | OW/H/G                 |
| May-Dec               | 35                   | Birdsfoot trefoil    | <i>Lotus corniculatus</i>            | –            | <b>Y</b>             | G                      |
| May-Aug               | 60                   | Bitter vetch         | <i>Lathyrus montanus</i>             | –            | <b>Pu/Ma</b>         | W/H                    |
| Apr-Aug               | 40                   | Black medick         | <i>Medicago lupulina</i>             | Annual       | <b>Y</b>             | G                      |
| May-Sep               | 80                   | Bladder campion      | <i>Silene vulgaris</i>               | Perennial    | <b>W</b>             | F/H                    |
| Jan-Apr               | 30                   | Bloody cranesbill    | <i>Geranium sanguineum</i>           | –            | <b>Pu</b>            | G                      |
| Apr-Jun               | 20-50                | Bluebell             | <i>Hyacinthoides non-scripta</i>     | –            | <b>B</b>             | W/H/C                  |
| Jul-Aug               | 35                   | Blue fleabane        | <i>Erigeron acer</i>                 | Biennial     | <b>B</b>             | G/H                    |
| May-Jun               | 50                   | – gromwell           | <i>Buglossoides purpureocaerulea</i> | Perennial    | <b>B</b>             | W                      |
| Jun-Sep               | 60                   | Bristle ox tongue    | <i>Picris echioides</i>              | Biennial     | <b>Y</b>             | H/C                    |
| May-Aug               | 60                   | Brooklime            | <i>Veronica beccabunga</i>           | Perennial    | <b>B</b>             | W/P                    |
| Jul-Sep               | 2m                   | Broom                | <i>Cytisus scoparius</i>             | –            | <b>Y</b>             | W                      |
| Jul-Sep               | 50                   | Brown knapweed       | <i>Centaurea numoralis</i>           | –            | <b>Pu</b>            | N/H/G                  |
| May-Aug               | 10                   | Buckshorn plantain   | <i>Plantago coronopus</i>            | Bi/Perennial | <b>G</b>             | Sh/C/G                 |
| May-Jul               | 30                   | Bugle                | <i>Ajuga reptans</i>                 | Perennial    | <b>B</b>             | W/WP/G                 |
| Apr-Jul               | 35                   | Bulbos buttercup     | <i>Ranunculus bulbosus</i>           | –            | <b>Y</b>             | F                      |
| Jul-Aug               | 100                  | Burnet saxifrage     | <i>Pimpinella saxifrage</i>          | –            | <b>W</b>             | G                      |
| Apr-Sep               | 60                   | Bush vetch           | <i>Vicia sepium</i>                  | –            | <b>YP/Pu</b>         | W/H                    |
| Jun-Jul               | 15-100               | Buttercup, meadow    | <i>Ranunculus acris</i>              | –            | <b>Whitish/Y</b>     | G/WP                   |
| Jul-Sep               | 20                   | Carlina thistle      | <i>Carlina vulgaris</i>              | Biennial     | <b>Br</b>            | WP                     |
| Jun-Sep               | 20-60                | Cat's Ear            | <i>Hypochaeris radiata</i>           | Perennial    | <b>Y</b>             | G/Du                   |
| Jul-Oct               | 120                  | Chicory              | <i>Cichorium intybus</i>             | Perennial    | <b>B</b>             | F/H                    |
| May-Aug               | 65                   | Clary                | <i>Salvia verbenaca</i>              | –            | <b>B</b>             | G/H                    |
| May-Sep               | 5-100                | Clover, Alsike       | <i>Trifolium hybridum</i>            | –            | <b>Creamy/Y</b>      | G/W/P                  |
| Jun-Sep               | 5-40                 | – Strawberry         | – <i>fragiferum</i>                  | Ann/Biennial | <b>R</b>             | F/Du                   |
| May-Sep               | 5-100                | – red                | – <i>pratense</i>                    | –            | <b>Pinkish/Pu</b>    | G/W/P                  |
| May-Sep               | 5-100                | – white              | – <i>repens</i>                      | –            | <b>W</b>             | G/WP                   |
| May-Sep               | 15                   | Clustered bellflower | <i>Campanula glomerata</i>           | –            | <b>B</b>             | G                      |
| May-Sep               | 100                  | Comfrey              | <i>Symphytum officinale</i>          | –            | <b>P/W</b>           | WP                     |
| Jun-Aug               | 50                   | Common agrimony      | <i>Agrimonia eupatoria</i>           | –            | <b>Y</b>             | G/H                    |
| Jul-Sep               | 100                  | – burdock            | <i>Arctium pubens</i>                | Biennial     | <b>Pu/Ma</b>         | H/G                    |
| May-Sep               | 50                   | – catsear            | <i>Hypochaeris radiata</i>           | Perennial    | <b>Y</b>             | F/G                    |
| Jun-Sep               | 50                   | – mallow             | <i>Malva sylvestris</i>              | –            | <b>Ma</b>            | H                      |
| Jun-Aug               | 200                  | – mullein            | <i>Verbascum thapsus</i>             | Biennial     | <b>Y</b>             | H                      |
| May-Aug               | 25                   | – rock rose          | <i>Helianthemum nummularium</i>      | Perennial    | <b>Y</b>             | G                      |

|          |        |                               |                                |              |               |         |
|----------|--------|-------------------------------|--------------------------------|--------------|---------------|---------|
| May-Aug  | 30     | Common speedwell              | <i>Veronica officinalis</i>    | –            | <b>B</b>      | H/G/He  |
| Jul-Aug  | 200    | – teasel                      | <i>Dipascus fullonum</i>       | Biennial     | <b>Ma</b>     | H/G/WE  |
| May-Oct  | 25     | – tormental                   | <i>Potentilla erecta</i>       | Perennial    | <b>Y</b>      | G       |
| Apr-Jul  | 20     | – violet                      | <i>Viola riviniana</i>         | –            | <b>B</b>      | W/e/He  |
| May-Aug  | 7      | – wild thyme                  | <i>Thymus praecox</i>          | –            | <b>Pu</b>     | G       |
| May-Sep  | 80     | – yellow rocket               | <i>Barbarea vulgaris</i>       | Biennial     | <b>Y</b>      | H       |
| Jul-Sep  | 30-150 | Cornflower                    | <i>Centaurea cyanus</i>        | Perennial    | <b>B</b>      | Gardens |
| Apr-May  | 100    | Cow parsley                   | <i>Anthriscus sylvestris</i>   | –            | <b>W</b>      | H       |
| Apr-May  | 30     | Cowslip                       | <i>Primula veris</i>           | Perennial    | <b>Y</b>      | F/H     |
| Apr-May  | 30     | Creeping buttercup            | <i>Ranunculus repens</i>       | –            | <b>Y</b>      | F/G     |
| Jun-Sep  | 100    | – cinquefoil                  | <i>Potentilla reptans</i>      | –            | <b>Y</b>      | H/CG    |
| Jun-Aug  | 60     | – Jenny                       | <i>Lysimachia nummularia</i>   | –            | <b>Y</b>      | WP      |
| May-Jun  | 50     | Crosswort                     | <i>Cruciata laevipes</i>       | –            | <b>Y</b>      | F/H/OW  |
| Apr-Jun  | 55     | Cuckoo flower                 | <i>Cardamine pratensis</i>     | –            | <b>P/W/Ma</b> | WP      |
| Jul-Aug  | 60     | Cushion calamint (wild basil) | <i>Clinopodium vulgare</i>     | –            | <b>Ma</b>     | H       |
| Mar-Oct  | 6      | Daisy                         | <i>Bellis perennis</i>         | –            | <b>Y/M</b>    | G       |
| Mar-Oct  | 5-40   | Dandelion, Common             | <i>Taraxacum officinale</i>    | –            | <b>P</b>      | BG/H    |
| Jul-Aug  | 50     | Deptford pink                 | <i>Dianthus armeria</i>        | Biennial     | <b>P</b>      | BG/H    |
| Jun-Oct  | 80     | Devils-bit scabious           | <i>Succisa pratensis</i>       | Perennial    | <b>B</b>      | WP/F    |
| Mar-May  | 15     | Dog violet                    | <i>Viola canina</i>            | –            | <b>PB</b>     | H       |
| Apr-Sep  | 35     | Dovesfoot cranesbill          | <i>Geranium columbinum</i>     | Annual       | <b>P</b>      | G       |
| Jun-Aug  | 70     | Dropwort                      | <i>Filipendula vulgaris</i>    | Perennial    | <b>W</b>      | G       |
| May-Jun  | 50     | Dusky cranesbill              | <i>Geranium phaeum</i>         | –            | <b>M</b>      | N/H     |
| Jun-Aug  | 60     | Dyers greenwood               | <i>Reseda luteola</i>          | Biennial     | <b>Y</b>      | G       |
| Jun-Aug  | 60     | Enchanters nightshade         | <i>Circaea lutetiana</i>       | Perennial    | <b>W</b>      | H/SP/W  |
| Jul-Sep  | 89     | Evening primrose              | <i>Oenothera biennis</i>       | Biennial     | <b>Y</b>      | BG      |
| Jul-Aug  | 50     | Feverfew                      | <i>Tanacetum parthenium</i>    | Perennial    | <b>Y/W</b>    | BG      |
| Jun-Sep  | 80     | Field scabious                | <i>Knautia arvensis</i>        | –            | <b>Ma</b>     | GH      |
| Jun-Sep  | 80     | Figwort                       | <i>Scrophularia nodosa</i>     | –            | <b>M</b>      | G       |
| May-Sep  | 60     | Flax, Common                  | <i>Linum usitatissimum</i>     | Annual       | <b>Pale B</b> | BG      |
| Jul-Sep  | 40     | Fleabane                      | <i>Pulicaria dysenterica</i>   | –            | <b>Y</b>      | WP      |
| Jun-Sep  | 150    | Foxglove                      | <i>Digitalis purpurea</i>      | Biennial     | <b>R</b>      | W/H     |
| Jun-Sep  | 70     | Fragrant evening primrose     | <i>Oenothera stricta</i>       | –            | <b>O</b>      | Sh/CG   |
| Apr-Jun  | 100    | Garlic mustard                | <i>Alliaria petiolata</i>      | –            | <b>W</b>      | WE/H    |
| Mar-Jul  | 35     | Germander speedwell           | <i>Veronica chamaedrys</i>     | Perennial    | <b>B</b>      | W/G     |
| Jun-Sep  | 100    | Gipsywort                     | <i>Lycopus europaeus</i>       | –            | <b>G</b>      | WP      |
| Jun-Aug  | 50     | Globe flower                  | <i>Trollus europaeus</i>       | –            | <b>Y</b>      | W/WP    |
| Jun-Jul  | 60     | Goatsbeard                    | <i>Tragopogon pratensis</i>    | –            | <b>Y</b>      | H/F     |
| Jul-Sep  | 70     | Golden rod                    | <i>Solidago virgaurea</i>      | –            | <b>Y</b>      | H/G     |
| Dec-Jun  | 2m     | Gorse, Common                 | <i>Ulex europaeus</i>          | –            | <b>Y</b>      | G       |
| Jul-Aug  | 100    | Great bellflower              | <i>Companula latifolia</i>     | –            | <b>B</b>      | W/H     |
| Jun-Sep  | 10-40  | Greater birdsfoot trefoil     | <i>Lotus uliginosus</i>        | –            | <b>Y</b>      | G       |
| Jul-Sep  | 150    | Great burdock                 | <i>Arctium lappa</i>           | Biennial     | <b>G</b>      | WE/OW   |
| Jun-Sep  | 100    | Greater burnet                | <i>Sanquisorba officinalis</i> | Perennial    | <b>R/Pu</b>   | WP      |
| May-Jul  | 75     | – celandine                   | <i>Chewlidonhium majus</i>     | –            | <b>Y</b>      | H       |
| Jul-Sep  | 80     | Great knapweed                | <i>Centaurea scabiosa</i>      | –            | <b>Pu</b>     | H/G     |
| Apr-Jun  | 50     | Greater stitchwort            | <i>Stellaria holostea</i>      | –            | <b>W</b>      | W/H     |
| Jul-Aug  | 150    | Great willowherb              | <i>Epilobium hirsutum</i>      | –            | <b>P</b>      | WP      |
| May-Jun  | 60     | Green houndstongue            | <i>Cynoglossum germanicum</i>  | Biennial     | <b>P</b>      | Rare    |
| Mar-May  | 25     | Ground ivy                    | <i>Tragopogon pratensis</i>    | –            | <b>Y</b>      | H/F     |
| Jul-Sep  | 5      | Ground thistle                | <i>Cirsium acaule</i>          | –            | <b>Pu</b>     | G       |
| Jul-Aug  | 80     | Hairy St Johns Wort           | <i>Hypericum hirsutum</i>      | –            | <b>Y</b>      | WP/W/G  |
| Mar-May  | 10     | – violet                      | <i>Viola hirta</i>             | –            | <b>B</b>      | F/OW    |
| Jul-Sep  | 25     | Harebell                      | <i>Campanula rotundifolia</i>  | –            | <b>B</b>      | H/G     |
| Jun-Sep  | 100    | Hedge bedstraw                | <i>Galium mollugo</i>          | –            | <b>W</b>      | H/OW    |
| May-Aug  | 80     | – woundwort                   | <i>Stachys sylvatica</i>       | Perennial    | <b>R</b>      | W/H/SP  |
| Jul-Sep  | 100    | Hemp agrimony                 | <i>Eupatorium cannabinum</i>   | –            | <b>P</b>      | WP/W    |
| May-Aug  | 60     | Herb bennet                   | <i>Geum urbanum</i>            | –            | <b>Y</b>      | H/SP/OW |
| Apr-Oct  | 45     | – Robert                      | <i>Geranium robertianum</i>    | Ann/Biennial | <b>P</b>      | W/H/BG  |
| July-Aug | 100    | Hoary mullein                 | <i>Verbascum pulverulentum</i> | Biennial     | <b>Y</b>      | F/H     |
| May-Aug  | 52     | – plantain                    | <i>Plantago media</i>          | Perennial    | <b>Pu/M</b>   | G       |
| Jul-Aug  | 25     | Hop trefoil                   | <i>Trifolium campestre</i>     | Biennial     | <b>Y</b>      | G       |
| Jun-Oct  | 100    | Horehound                     | <i>Ballota nigra</i>           | Perennial    | <b>Pu</b>     | H       |

|         |        |   |                                      |              |                |            |
|---------|--------|---|--------------------------------------|--------------|----------------|------------|
| May-Jul | 30     | Horseshoe vetch                           | <i>Hippocrepis comosa</i>            | –            | <b>Y</b>       | G          |
| Jun-Aug | 80     | Houndstongue                              | <i>Cynoglossum officinale</i>        | biennial     | <b>Pu</b>      | WE/G       |
| Mar-Sep | 2      | Ivy leaved toadflax                       | <i>Cymbalaria muralis</i>            | Perennial    | <b>Pu/Y</b>    |            |
| May-Jul | 75     | Jacobs ladder                             | <i>Polomonium caeruleum</i>          | –            | <b>B</b>       | BG         |
| May-Sep | 50     | Kidney vetch                              | <i>Anthylis vulneraria</i>           | –            | <b>Y</b>       | G          |
| Jun-Sep | 50     | Knapweed                                  | <i>Centaurea nigra</i>               | –            | <b>P</b>       | G/H        |
| Jun-Aug | 75     | Lady's bedstraw                           | <i>Galium verum</i>                  | –            | <b>Y</b>       | H          |
| May-Sep | 35     | – mantle                                  | <i>Alchemilla vulgaris</i>           | Perennial    | <b>G/Y</b>     | G/OW       |
| Jul-Sep | 130    | Lesser burdock                            | <i>Arctium minus</i>                 | Biennial     | <b>Pu</b>      | H/WE       |
| Mar-May | 20     | – celandine                               | <i>Ranunculus ficaria</i>            | Perennial    | <b>Y</b>       | H/G        |
| Jul-Aug | 25     | – hop trefoil                             | <i>Trifolium dubium</i>              | Biennial     | <b>Y</b>       | G          |
| Jun-Nov | 10     | – skullcap                                | <i>Scutellaria minor</i>             | Perennial    | <b>P/Pu</b>    | WP/G       |
| May-Sep | 70     | – spearwort                               | <i>Ranunculus flammula</i>           | –            | <b>Y</b>       | WP         |
| Mar-Jun | 80     | – stitchwort                              | <i>Stellaria graminea</i>            | –            | <b>W</b>       | H          |
| Jun-Jul | 80     | Lucerne                                   | <i>Medicago sativa</i>               | –            | <b>P</b>       | N/H/G      |
| Jun-Aug | 20-100 | Marigold, Corn                            | <i>Chrysanthemum segetum</i>         | –            | <b>Y</b>       | G          |
| Jul-Sep | 50     | Marjoram                                  | <i>Origanum vulgare</i>              | –            | <b>P</b>       | G/H        |
| May-Jul | 100    | Marsh bedstraw                            | <i>Galium palustre</i>               | –            | <b>W</b>       | WP         |
| Jun-Aug | 70     | – birdsfoot trefoil                       | <i>Lotus pendunculatus</i>           | –            | <b>Y</b>       | WP/G       |
| May-Jul | 40     | – cinquefoil                              | <i>Potentilla palustris</i>          | –            | <b>Pu</b>      | WP         |
| May-Sep | 45     | – forget-me-not                           | <i>Myosotis secunda</i>              | –            | <b>B</b>       | WP         |
| Jul-Sep | 100    | – mallow                                  | <i>Althaea officinalis</i>           | –            | <b>P</b>       | SM         |
| Mar-Jul | 45     | – marigold                                | <i>Caltha palustris</i>              | –            | <b>Y</b>       | D/WP/S     |
| Jul-Aug | 150    | – thistle                                 | <i>Cirsium palustre</i>              | Biennial     | <b>Pu</b>      | WP         |
| Apr-Jul | 10     | – violet                                  | <i>Viola palustris</i>               | Perennial    | <b>PM</b>      | WP         |
| Jul-Sep | 80     | – woundwort                               | <i>Stachys palustris</i>             | –            | <b>Pu</b>      | WP         |
| May-Aug | 60     | Meadow cranesbill                         | <i>Geranium pratense</i>             | –            | <b>Ma</b>      | H          |
| Jun-Aug | 100    | Meadowsweet                               | <i>Filipendula ulmaria</i>           | –            | <b>Cr</b>      | WP         |
| Jun-Sep | 5-35   | Medick, Black                             | <i>Medicago lupulina</i>             | Annual       | <b>Y</b>       | G          |
| Jun-Aug | 60-150 | Melilot, White                            | <i>Melilotus alba</i>                | Bi/Perennial | <b>Y</b>       | G/WP       |
| Jun-Aug | 50-150 | Mignonette, Wild                          | <i>Reseda lutea</i>                  | Biennial     | <b>Y</b>       | G/BG/Walls |
| Jul-Sep | 20     | Monkey flower                             | <i>Mimulus guttatus</i>              | Perennial    | <b>Y</b>       | N          |
| Apr     | 10     | Moschatel                                 | <i>Adoxa moschatellina</i>           | –            | <b>Gr</b>      | SP/W       |
| May-Sep | 25     | Mouse-eared hawkweed                      | <i>Hieracium pilosella</i>           | –            | <b>Y</b>       | G          |
| Jun-Aug | 30-200 | Mullein, Great                            | <i>Verbascum thapsus</i>             | Biennial     | <b>Y</b>       | G/BG       |
| Jun-Aug | 70     | Musk mallow                               | <i>Malva moschata</i>                | –            | <b>P</b>       | H          |
| Apr-May | 80     | Narrow-leaved vetch                       | <i>Vicia angustifolia</i>            | –            | <b>P</b>       | G/H        |
| Jul-Sep | 80     | Nettle-leaved bellflower                  | <i>Campanula trachelium</i>          | –            | <b>B</b>       | W/H        |
| Jun-Jul | 20     | Orange hawkbit                            | <i>Hieracium brunneocroceum</i>      | –            | <b>O</b>       | N/H        |
| May-Aug | 65     | Ox-eye daisy                              | <i>Chrysanthemum leucanthemum</i>    | –            | <b>Y/W</b>     | G          |
| Apr-May | 30     | Oxlip                                     | <i>Primula elatior</i>               | –            | <b>Y</b>       | W          |
| Jun-Aug | 20     | Pale flax                                 | <i>Linum bienne</i>                  | –            | <b>B</b>       | BG         |
| Jun-Sep | 60     | – toadflax                                | <i>Linaria repens</i>                | Biennial     | <b>B</b>       | BG/F       |
| Mar-May | 15     | – wood violet                             | <i>Viola reichenbachiana</i>         | –            | <b>B/Ma</b>    | W          |
| Jun-Aug | 80     | Pepper saxifrage                          | <i>Silaum silaus</i>                 | –            | <b>Gr</b>      | WP/H       |
| Jun-Sep | 50     | Perforate St Johns wort                   | <i>Hypericum perforatum</i>          | –            | <b>Y</b>       | H/OW       |
| May-Jul | 50     | Pignut (available as bulb only September) | <i>Conopodium majus</i>              | –            | <b>W</b>       | H/W/F      |
| Apr-Aug | 10-45  | Plantain, Ribwort                         | <i>Plantago lanceolata</i>           | –            | <b>Pale BR</b> | G          |
| Mar-May | 20     | Primrose                                  | <i>Primula vulgaris</i>              | –            | <b>Y</b>       | W/H/G      |
| Jun-Aug | 100    | Purple loosestrife                        | <i>Lythrum salicaria</i>             | –            | <b>P</b>       | WP         |
| Jun-Aug | 80     | – toadflax                                | <i>Linaria purpurea</i>              | –            | <b>Pu</b>      | H          |
| May-Aug | 55     | Pyrenean cranesbill                       | <i>Geranium pyrenaicum</i>           | –            | <b>Pu</b>      | H/WE       |
| May-Jul | 70     | Ragged robin                              | <i>Lychnis flos-cuculi</i>           | –            | <b>R</b>       | WP/F       |
| Apr-Jun | 10-45  | Ramsons                                   | <i>Allium ursinum</i> (garlic aroma) | –            | <b>W</b>       | W/WP/H     |
| May-Mar | 80     | Red campion                               | <i>Silene dioica</i>                 | Biennial     | <b>R</b>       | W/H/SP     |
| May-Aug | 50     | – catchfly                                | <i>Lychnis viscaria</i>              | Perennial    | <b>P</b>       | C          |
| May-Sep | 30     | – clover                                  | <i>Trifolium pratense</i>            | –            | <b>R</b>       | G          |
| Jun-Jul | 50     | – valerian                                | <i>Centranthus ruber</i>             | Bi/Perennial | <b>R</b>       | N          |
| Jun-Sep | 50     | Restharrow                                | <i>Ononis repens</i>                 | Perennial    | <b>P</b>       | G          |
| Jun-Sep | 150    | Rosebay Willowherb                        | <i>Epilobium angustifolium</i>       | –            | <b>P</b>       | WE/H       |
| May-Sep | 50     | Rough hawkbit                             | <i>Leontodon hispidus</i>            | –            | <b>Y</b>       | G          |
| May-Aug | 30     | Salad burnet                              | <i>Sanguisorba minor</i>             | –            | <b>Gr</b>      | G          |
| Jul-Sep | 80     | Saw-wort                                  | <i>Serratula tinctoria</i>           | Perennial    | <b>Pu</b>      | G/W/WE     |

|             |        |                              |                                 |               |                   |          |
|-------------|--------|------------------------------|---------------------------------|---------------|-------------------|----------|
| Jul-Sep     | 25-100 | Scabious, Small              | <i>Scabiosa columbaria</i>      | –             | <i>Lilac</i>      | G        |
| May-Jul     | 20     | Sea campion                  | <i>Silene maritima</i>          | –             | <i>W</i>          | CG.SH    |
| Apr-Aug     | 15     | – pink                       | <i>Armeria maritima</i>         | –             | <i>P</i>          | CG       |
| Jun-Aug     | 15     | – plantain                   | <i>Plantagon maritima</i>       | –             | <i>Gr/Y</i>       | CG/SH    |
| Jun-Sep     | 20     | Selfheal                     | <i>Prunella vulgaris</i>        | –             | <i>B</i>          | H/G/W    |
| May-Aug     | 15     | Silverweed                   | <i>Potentilla anserina</i>      | –             | <i>Y</i>          | F/H/SH/G |
| Jun-Sep     | 35     | Skullcap                     | <i>Scutellaria galericulata</i> | –             | <i>B</i>          | WP/G     |
| Jun-Sep     | 80     | Slender mullein              | <i>Verbascum virgatum</i>       | Biennial      | <i>Y</i>          | H/G      |
| Jun-Aug     | 65     | Small scabious               | <i>Scabiosa columbaria</i>      | Perennial     | <i>B</i>          | G        |
| Jun-Sep     | 25     | – flowered cranesbill        | <i>Geranium pusillum</i>        | –             | <i>B</i>          | G/BG/F   |
| Aug         | 200    | – teasel                     | <i>Dipsacus pillosus</i>        | Biennial      | <i>W</i>          | WP       |
| Jul-Aug     | 50     | Sneezewort                   | <i>Achillea ptarmica</i>        | Perennial     | <i>W</i>          | WP/G     |
| Jul-Aug     | 80     | Soapwort                     | <i>Saponaria officinalis</i>    | –             | <i>P</i>          | H        |
| Mar-Aug     | 100    | Sorrel                       | <i>Rumex acetosa</i>            | –             | <i>Y/R</i>        | G        |
| Jul-Oct     | 120    | Spear thistle                | <i>Cirsium vulgare</i>          | Biennial      | <i>Pu</i>         | F/G/H    |
| Jun-Sep     | 100    | Spiny restharrow             | <i>Ononis spinosa</i>           | Perennial     | <i>P</i>          | G        |
| Jun-Sep     | 60     | Square-stalked St Johns wort | <i>Hypericum tetrapetrum</i>    | –             | <i>Y</i>          | WP/H     |
| May-Jul     | 70     | Stinking iris                | <i>Foetidissima</i>             | –             | <i>Pu</i>         | H/WP/W   |
| Jul-Aug     | 60     | Streaked cranesbill          | <i>Geranium versicolor</i>      | –             | <i>P</i>          | H/WE     |
| Apr-Jun     | 100    | Sweet cicely                 | <i>Myrrhis odorata</i>          | –             | <i>W</i>          | H/WE     |
| Feb-Apr     | 10     | Sweet violet                 | <i>Viola odorata</i>            | –             | <i>B</i>          | H/WE     |
| Feb-Apr     | 10     | – white violet               | <i>Viola odorata dumetorum</i>  | –             | <i>W</i>          | H/WE     |
| Jul-Sep     | 100    | Tansy                        | <i>Tanacetum vulgare</i>        | –             | <i>Y</i>          | H        |
| Jun-Oct     | 60     | Toadflax                     | <i>Linaria vulgaris</i>         | –             | <i>Y</i>          | H/G/W    |
| Jul-Aug     | 30     | Travellers Joy               | <i>Clematis vitalba</i>         | –             | <i>Greenish W</i> | W/WP     |
| Jun-Sep     | 5-35   | Trefoil, Lesser Yellow       | <i>Trifolium dubium</i>         | Annual        | <i>Y/Pale Br</i>  | G        |
| Jun-Aug     | 200    | Tufted vetch                 | <i>Vicia cracca</i>             | –             | <i>Pu</i>         | G/H      |
| Jul-Aug     | 100    | Upright hedge parsley        | <i>Torilis japonica</i>         | Biennial      | <i>W</i>          | H        |
| Jun-Aug     | 120    | Valerian                     | <i>Valeriana officinalis</i>    | Perennial     | <i>P</i>          | WP       |
| May-Sep     | 15-120 | Vetch, Common                | <i>Vicia sativa</i>             | Annual        | <i>Pu</i>         | G/H      |
| Jun-Aug     | 30-60  | – Crown                      | <i>Coronilla varia</i>          | Perennial     | <i>P</i>          | G        |
| Jun-Sep     | 70     | Vipers bugloss               | <i>Echium vulgare</i>           | Biennial      | <i>B</i>          | C        |
| Apr-Jun     | 60     | Water avens                  | <i>Geum rivale</i>              | Perennial     | <i>P</i>          | WP/SP    |
| May-Sep     | 45     | – forget-me-not              | <i>Myosotis scorpiodes</i>      | –             | <i>B</i>          | WP       |
| Jul-Oct     | 80     | – mint                       | <i>Mentha aquatica</i>          | –             | <i>Ma</i>         | WP       |
| Jun-Aug     | 50-150 | Weld                         | <i>Reseda luteola</i>           | Biennial      | <i>Y/G</i>        | BG/Walls |
| Jun-Aug     | 50     | Welsh poppy                  | <i>Meconopsis cambrica</i>      | –             | <i>Y</i>          | SP       |
| May-Aug     | 80     | White campion                | <i>Silene alba</i>              | –             | <i>W</i>          | H        |
| Apr-Jun/Sep | 40     | – deadnettle                 | <i>Lamium album</i>             | Bi/Perennial  | <i>W</i>          | SP/BG/H  |
| May-Jul     | 70     | – valerian                   | <i>Centranthus alba</i>         | Perennial     | <i>W</i>          | N        |
| Jul-Sep     | 150    | Wild angelica                | <i>Angelica sylvestris</i>      | Biennial      | <i>W/P</i>        | H/F      |
| Jun-Aug     | 90     | – carrot                     | <i>Daucus carota</i>            | –             | <i>W</i>          | G        |
| Mar-Aug     | 70     | – mignonette                 | <i>Roseda lutea</i>             | Bi/Perennial  | <i>Y</i>          | G        |
| Apr-Sep     | 30     | – pansy                      | <i>Viola tricolour</i>          | Ann/Perennial | <i>Pu/Y</i>       | G        |
| Jun-Aug     | 150    | – parsnip                    | <i>Pastinaca sativa</i>         | Biennial      | <i>Y</i>          | H        |
| Jun-Aug     | 200    | – pea                        | <i>Lathyrus sylvestris</i>      | Perennial     | <i>P</i>          | W/C      |
| Apr-Jul     | 20     | – strawberry                 | <i>Fragaria vesca</i>           | –             | <i>Y/W</i>        | W/G      |
| May         | 30     | – wallflower                 | <i>Cheiranthus cheiri</i>       | Bi/Perennial  | <i>O/Y</i>        | N        |
| Jul-Sep     | 20     | Wood sage                    | <i>Teucrium scorodonia</i>      | Perennial     | <i>W</i>          | H/G/He   |
| Apr-Jun     | 15     | – sorrel                     | <i>Oxalis acetosella</i>        | –             | <i>W</i>          | W/H      |
| Apr-Jul     | 30     | Wood speedwell               | <i>Veronica montana</i>         | –             | <i>B</i>          | W        |
| Mar-May     | 75     | Wood spurge                  | <i>Euphorbia amygdaloides</i>   | Perennial     | <i>Gr</i>         | W/OW/H   |
| May-Aug     | 80     | – woundwort                  | <i>Stachys sylvatica</i>        | –             | <i>Pu</i>         | W/H/SP   |
| Jun-Nov     | 45     | Yarrow                       | <i>Achillea millefolium</i>     | –             | <i>W</i>          | G/H      |
| May-Jun     | 50     | Yellow archangel             | <i>Lamiumstrum galeobdolon</i>  | –             | <i>Y</i>          | H/W      |
| May-Jul     | 120    | – flag                       | <i>Pseudacorus</i>              | Perennial     | <i>Y</i>          | WP       |
| Jul-Aug     | 100    | – loosestrife                | <i>Lysimachia vulgaris</i>      | –             | <i>Y</i>          | WP       |
| May-Aug     | 100    | – meadow vetching            | <i>Lathyrus pratensis</i>       | –             | <i>Y</i>          | H/G      |
| Jun-Sep     | 130    | – melilot                    | <i>Melilotus officinalis</i>    | Biennial      | <i>Y</i>          | N/H/F    |
| May-Sep     | 10     | – pimpernel                  | <i>Lysimachia nemorum</i>       | Perennial     | <i>Y</i>          | W/SP/H   |
| May-Aug     | 12-50  | – rattle (partly parasitic)  | <i>Rhianthus minor</i>          | Annual        | <i>Y</i>          | M        |

There are two aspects encouraging a successful Butterfly Meadow and they are:

- (1) Plants to provide nectar for adult butterflies and
- (2) Plants to provide food for the larvae.

Butterfly Meadows have flowers which are planted for feeding on, and grasses for breeding.

### Butterfly Key:

|                                |                           |                               |                                 |
|--------------------------------|---------------------------|-------------------------------|---------------------------------|
| 1. Adonis Blue                 | 12. Grizzled Skipper      | 23. Meadow Brown              | 34. Silverwashed Fritillary     |
| 2. Brown Argus                 | 13. Heath Fritillary      | 24. Northern Brown Argus      | 35. Small Blue                  |
| 3. – Hairstreak                | 14. Hedge Brown           | 25. Orange Tip                | 36. – Heath                     |
| 4. Black Hairstreak            | 15. High Brown Fritillary | 26. Painted Lady              | 37. – Copper                    |
| 5. Chalkhill Blue              | 16. Holly Blue            | 27. Peacock                   | 38. – Tortoiseshell             |
| 6. Comma                       | 17. Large Copper          | 28. Pearl Bordered Fritillary | 39. Speckled Wood               |
| 7. Common Blue                 | 18. – Tortoiseshell       | 29. Purple Emperor            | 40. – Pearl Bordered Fritillary |
| 8. Dark Green Fritillary       | 19. Long Tailed Blue      | 30. – Hairstreak              | 41. Wall                        |
| 9. Duke of Burgundy Fritillary | 20. Marbled White         | 31. Queen of Spain Fritillary | 42. White Admiral               |
| 10. Glanville Fritillary       | 21. Marsh Fritillary      | 32. Red Admiral               | 43. Yellow Brimstone            |
| 11. Green Hairstreak           | 22. Mazarine Blue         | 33. Silver Studded Blue       |                                 |

### Butterfly (larvae) Food Plants

| <u>English Name</u> | <u>Botanical Name</u>        | <u>Butterfly</u> | <u>English Name</u> | <u>Botanical Name</u>            | <u>Butterfly</u> |
|---------------------|------------------------------|------------------|---------------------|----------------------------------|------------------|
| Birdsfoot Trefoil   | <i>Lofus cornicuclatus</i>   | 5-7-11-24        | Primrose            | <i>Primula vulgaris</i>          | 9                |
| Broom               | <i>Cytisus scoparius</i>     | 11-19-33         | Restharrow, Common  | <i>Ononis repens</i>             | 7-33             |
| Buckthorn, Common   | <i>Rhamnus cathartica</i>    | 43               | Ribwort Plantain    | <i>Plantago lanceolata</i>       | 10-13            |
| Cocksfoot Grass     | <i>Dactylis glomerata</i>    | 14-20-39-41      | Rockrose, Common    | <i>Helianthemum chamaecistus</i> | 7-24-33          |
| Crested Dogstail    | <i>Cynosauris cristatus</i>  | 36               | Rough Meadow Grass  | <i>Poa trivialis</i>             | 14-23-39         |
| Cuckoo Flower       | <i>Cardamine pratensis</i>   | 25               | Sallow              | <i>Salix caprea</i>              | 18-29            |
| Devilsbit Scabious  | <i>Succisa pratensis</i>     | 21               | Sorrel, Common      | <i>Rumex acetosa</i>             | 37               |
| Garlic Mustard      | <i>Allaria petiolata</i>     | 25               | Spearthistle        | <i>Crisium vulgare</i>           | 26               |
| Gorse               | <i>Ulex europaeus</i>        | 11-32-33-35      | Storksbill, Common  | <i>Erodium cicutarium</i>        | 2-24             |
| Holly               | <i>Illex aquifolium</i>      | 16               | Strawberry, Wild    | <i>Fragaria vesca</i>            | 12               |
| Honeysuckle         | <i>Lonicera pericyclamen</i> | 13-42            | Violet, Common      | <i>Viola riviniana</i>           | 8-15-28-31-34-40 |
| Hop, Wild           | <i>Humulus lupulus</i>       | 6                | Violet, Dog         | – <i>canina</i>                  | 8-12-28-34-40    |
| Horseshoe Vetch     | <i>Hippocrepis comosa</i>    | 1-5              | Violet, Hairy       | – <i>hirta</i>                   | 28-40            |
| Ivy                 | <i>Hedera helix</i>          | 16               | Violet, Sweet       | – <i>odorata</i>                 | 8-31-34-38       |
| Kidney Vetch        | <i>Anthyllis vulneraria</i>  | 5-15-22          | White Clover        | <i>Trifolium repens</i>          | 7-22             |
| Nettle              | <i>Urtica dioica</i>         | 6-26-27-32-38    |                     |                                  |                  |

The following varieties are recommended as they have been chosen to coincide with the emergence of Adult Butterflies which have been breeding on the associated grasses.

| <u>Wild Flowers</u> |                    |                |  |
|---------------------|--------------------|----------------|--|
| Autumn Hawkbit      | Common Sorrel      | Rough Hawkbit  |  |
| Betony              | Devilsbit Scabious | Selfheal       |  |
| Birdsfoot Trefoil   | Field Scabious     | Small Scabious |  |
| Brown Knapweed      | Greater Knapweed   | Wild Basil     |  |
| Common Cats Ear     | Knapweed           | Yarrow         |  |

| <u>Grasses</u>       |                             |                            |  |
|----------------------|-----------------------------|----------------------------|--|
| Bedstraw             | Horseshoe Vetch             | Small Leaved Timothy       |  |
| Cocksfoot            | Meadow Fescue               | Smooth Meadow Grass        |  |
| Chewing Fescue       | Rough Meadow Grass          | – Stalked Meadow Grass     |  |
| Clustered Bellflower | Salt Marsh Grass            | Strong Creeping Red Fescue |  |
| Common Bent          | Sanfoin                     | Tall Oat Grass             |  |
| – Couch              | Sheeps Fescue               | Wavy Hair Grass            |  |
| Creeping Red Fescue  | Slender Creeping Red Fescue | Wood Meadow Grass          |  |
| – Thyme              | Small Cats Tail             | Yellow Oat Grass           |  |

## A SELECTION OF MIX WILD FLOWERS & GRASSES FOR HEDGEROW & ROADSIDE AREAS

|                                       |   |  |  |
|---------------------------------------|---|--|--|
| <b><u>Wild Flowers</u></b>            | Agrimony<br>Betony<br>Common Knapweed<br>– Mallow<br>Cowslip<br>Field Scabious<br>Foxglove<br>Garlic Mustard<br>Great Mullein | Greater Knapweed<br>Hedge Bedstraw<br>– Woundswort<br>Meadow Buttercup<br>Meadow Crane's Bill<br>Mush Mallow<br>Ox-eye Daisy<br>Red Campion<br>Rough Chervil | Selfheal<br>Teasel<br>Tufted Vetch<br>Upright Hedge Parsley<br>Wild Angelica<br>Wood Avens<br>Yarrow |
| <b><u>Low Maintenance Grasses</u></b> | Common Bent<br>Sheeps Fescue  | Slender Creeping Red Fescue<br>Smooth Meadow Grass   | Wood Meadow Grass  |

## A SELECTION OF MIX WILD FLOWERS & GRASSES FOR WET MEADOWS & CLAY AREAS

|                                       |   |  |  |
|---------------------------------------|---|--|--|
| <b><u>Wild Flowers</u></b>            | Betony<br>Black Medick<br>Cat's Ear<br>Common Birdsfoot Trefoil<br>– Knapweed<br>– Sorrel<br>Cowslip<br>Field Scabious<br>Greater Birdsfoot Trefoil | Greater Knapweed<br>Hoary Plantain<br>Kidney Vetch<br>Lady's Bedstraw<br>Meadow Buttercup<br>Ox-eye Daisy<br>Ribwort<br>Rough Hawksbit<br>Salad Burnet | Selfheal<br>Smooth Tane<br>Tufted Vetch<br>White Campion<br>Wild Carrot<br>Yarrow<br>Yellow Rattle |
| <b><u>Low Maintenance Grasses</u></b> | Chewing Fescue<br>Common Bent   | Sheeps Fescue<br>Slender Creeping Red Fescue   | Smooth Stalked Meadow Grass  |

## A SELECTION OF WILD FLOWERS & GRASSES FOR ACID SOILS

|                            |  |   |   |
|----------------------------|--|---|---|
| <b><u>Wild Flowers</u></b> | Birdsfoot Trefoil<br>Black Medick<br>Bush Vetch<br>Common Daisy<br>– Vetch<br>Cornflower | Corn Marigold<br>Crown Vetch<br>Foxglove<br>Harebell<br>Ox-eye Daisy<br>Red Campion | Ribwort Plantain<br>Selfheal<br>St John's Wort<br>White Clover<br>– Melilot |
| <b><u>Grasses</u></b>      | Grass Sweet Vernal<br>Hard Fescue  | Sheeps Fescue<br>Wavy Hair Grass  |   |

## A SELECTION OF MIX WILD FLOWERS & GRASSES FOR MEADOW & GRASSLAND (LOAM)

|                            |  |  |  |
|----------------------------|--|--|--|
| <b><u>Wild Flowers</u></b> | Black Medick<br>Cat's Ear<br>Common Bird's Foot<br>– Knapweed<br>– Mouse-Ear<br>– Sorrel<br>Cowslip<br>Dandelion | Field Scabious<br>Goat's Beard<br>Hoary Plantain<br>Lady's Bedstraw<br>Meadow Cranesbill<br>Ox-eye Daisy<br>Ragged Robin<br>Ribwort Plantain | Rough Hawksbit<br>Salad Burnet<br>Selfheal<br>Trefoil<br>White Campion<br>Wild Carrot<br>Yarrow<br>Yellow Rattle |
| <b><u>Grasses</u></b>      | Chewing Fescue<br>Common Bent  | Hard Fescue<br>Slender Creeping Red Fescue   | Smooth Meadow Grass  |

## A SELECTION OF WILD FLOWERS & GRASSES FOR NEUTRAL SOILS

|                                |                |                            |                   |
|--------------------------------|----------------|----------------------------|-------------------|
| <b><u>Wild<br/>Flowers</u></b> | Alsike Clover  | Meadow Buttercup           | Sanfoin           |
|                                | Common Flax    | – Cranesbill               | Selfheal          |
|                                | – Sorrel       | Pignut                     | Small Scabious    |
|                                | Cowslip        | Ragged Robin               | Strawberry Clover |
|                                | Lucerne        | Red Clover                 | Yarrow            |
|                                | Marsh Trefoil  | Salad Burnet               | Yellow Rattle     |
| <b><u>Grasses</u></b>          | Chewing Fescue | Strong Creeping Red Fescue | Wood Meadow Grass |
|                                | Common Bent    | Tall Oat Grass             |                   |

## A SELECTION OF WILD FLOWERS & GRASSES FOR WETLAND & POND AREAS

|                                |                 |                    |                      |
|--------------------------------|-----------------|--------------------|----------------------|
| <b><u>Wild<br/>Flowers</u></b> | Avens Wood      | Marsh Marigold     | Purple Strife        |
|                                | Cowslip         | – Trefoil          | Ragged Robin         |
|                                | Common Fleabane | Meadow Buttercup   | Red Campion          |
|                                | Dropwort        | Meadow Cranesbill  | Scabious Devil's Bit |
|                                | Greater Burnet  | – Sweet            | Tufted Vetch         |
| <b><u>Grasses</u></b>          | Meadow Foxtail  | Salt Marsh Grass   | Tall Oat Grass       |
|                                | – Grass         | Smaller Cat's Tail |                      |

## A SELECTION OF MIX WILD FLOWERS & GRASSES FOR CHALK & LIMESTONE AREAS

|                                |   |                             |                |                     |
|--------------------------------|---|-----------------------------|----------------|---------------------|
| <b><u>Wild<br/>Flowers</u></b> | Bedstraw                                      | Field Scabious              | Sainfoin       |                     |
|                                | Bellflower, clustered                         | Goat's Beard                | Salad Burnet   |                     |
|                                | Black Medick                                  | Great Knapweed              | Selfheal       |                     |
|                                | Birdsfoot Trefoil                             | Harebill                    | Small Scabious |                     |
|                                | Bulbous Buttercup                             | Hoary Plantain              | Wild Basil     |                     |
|                                | Common Knapweed                               | Horseshoe Vetch             | – Carrot       |                     |
|                                | – Mouse-Ear                                   | – Trefoil                   | – Marjoram     |                     |
|                                | – Vetch                                       | Kidney Vetch                | – Mignonette   |                     |
|                                | Cowslip                                       | Lady's Bedstraw             | Yarrow         |                     |
|                                | Creeping Thyme                                | Ox-eye Daisy                | Yellow Rattle  |                     |
|                                | Crested Dog's Tail                            | Rough Hawksbit              |                |                     |
|                                | <b><u>Low<br/>Maintenance<br/>Grasses</u></b> | Chewing Fescue              | Hard Fescue    | Smooth Meadow Grass |
|                                |   | Common Bent                 | Sheeps Fescue  |                     |
| Creeping Red Fescue            |   | Slender Creeping Red Fescue |                |                     |

## A SELECTION OF WILD FLOWERS & GRASSES FOR HEAVY CLAY SOILS

|                                |                          |                            |                  |
|--------------------------------|--------------------------|----------------------------|------------------|
| <b><u>Wild<br/>Flowers</u></b> | Black Medick             | Dropwort                   | Ribwort Plantain |
|                                | Cat's Ear                | Great Knapweed             | Selfheal         |
|                                | Common Birdsfoot Trefoil | Hoary Plantain             | White Campion    |
|                                | – Knapweed               | Kidney Vetch               | Wild Carrot      |
|                                | – Restharrow             | Lady's Bedstraw            | Yarrow           |
|                                | – Cowslip                | Meadow Buttercup           |                  |
|                                | – Salad Burnet           | Ox-eye Daisy               |                  |
| <b><u>Grasses</u></b>          | Chewings Fescue          | Meadow Foxtail             | Yellow Oat Grass |
|                                | Crested Dog's Tail       | Strong Creeping Red Fescue |                  |

## A SELECTION OF WILD FLOWERS & GRASSES FOR OPEN WOODLANDS & HEDGEROWS

|                                |   |  |   |
|--------------------------------|---|--|---|
| <u><b>Wild<br/>Flowers</b></u> | Bluebell<br>Bugle<br>Cowslip<br>Foxglove<br>Great Mullein<br>Greater Stitchwort | Hairy St John's Wort<br>Hedge Woundwort<br>Herb-Robert<br>Meadow Sweet<br>Primrose<br>Ragged Robin | Ramsons<br>Red Campion<br>Upright Hedge Parsley<br>Traveller's Joy<br>Wood Sage |
| <u><b>Grasses</b></u>          | Browntop Bent<br>Crested Dog's Tail<br>Fine-leaved Sheep's Fescue               | Rough Meadow Grass<br>Slender Creeping Red Fescue<br>Smooth Meadow Grass                           | Wood Meadow Grass   |

## A SELECTION OF WILD FLOWERS & GRASSES FOR FREE DRAINING SANDY SOILS

|                                |  |   |  |
|--------------------------------|--|---|--|
| <u><b>Wild<br/>Flowers</b></u> | Black Medick<br>Common Birdsfoot Trefoil<br>Dandelion<br>Harebell<br>Kidney Vetch<br>Lady's Bedstraw | Ox-eye Daisy<br>Rough Hawkbit<br>St John's Wort<br>Viper's Bugloss<br>Weld<br>White Campion | Wild Carrot<br>– Mignonette<br>Yarrow<br>Yellow Lesser Trefoil<br>– Rattle |
| <u><b>Grasses</b></u>          | Bent Browntop<br>Chewings Fescue   | Hard Fescue<br>Slender Red Creeping Fescue  | Smooth Meadow Grass<br>Strong Red Creeping Fescue                          |

## A SELECTION OF WILD FLOWERS & GRASSES FOR HEATHLAND & BANKS

|                                |  |   |   |
|--------------------------------|--|---|---|
| <u><b>Wild<br/>Flowers</b></u> | Black Medick<br>Common Broom<br>– Gorse<br>– Vetch<br>Foxglove<br>Kidney Vetch | Lady's Bedstraw<br>Musk Mallow<br>Ox-eye Daisy<br>Rough Hawkbit<br>Silver Birch<br>Small Scabious | St John's Wort<br>Viper's Bugloss<br>Wild Carrot<br>– Mignonette<br>Yellow Lesser Trefoil |
| <u><b>Grasses</b></u>          | Creeping Red Fescue<br>Flattened Meadow Grass                                  | Sheep's Fescue<br>Wavy Hair Grass   |   |

## A SELECTION OF MARGINALS, AQUATICS & REEDS

**Please inquire for availability of the above categories, ie: Marginals & Aquatics.**

### REEDS

- 1 We undertake Contract Growing of *Phragmites australis* (*Common Norfolk Reed*) in small and very large quantities.
- 2 PURPOSE: planting of Reed Beds for filtration purposes.